



Vipac Engineers & Scientists Ltd.

Level 2, 146 Leichhardt Street, Spring Hill, QLD 4000, Australia

PO Box 47, Spring Hill, Qld, 4000 Australia

t. +61 7 3377 0400 | f. +61 7 3377 0499 | e. brisbane@vipac.com.au

w. www.vipac.com.au | A.B.N. 33 005 453 627 | A.C.N. 005 453 627

Vipac Engineers & Scientists

North East Business Park Pty Ltd

North Harbour Stages 14 to 45

Traffic Noise Impact Assessment

70Q-16-0058-TRP-519773-13

17 May 2022



Report Title: Traffic Noise Impact Assessment		
Job Title: North Harbour Stages 14 to 45		
DOCUMENT NO: 70Q-16-0058-TRP-519773-13	REPORT CODE: TRP	
PREPARED FOR: North East Business Park Pty Ltd Unit 2 / 6 Nepean Avenue Arana Hills, Queensland, 4054, Australia	PREPARED BY: Vipac Engineers & Scientists Ltd. Level 2, 146 Leichhardt Street, Spring Hill, QLD 4000, Australia	
CONTACT: Michael McErlean Tel: 0417 884 155 Fax:	Tel: +61 7 3377 0400 Fax: +61 7 3377 0499	
PREPARED BY:		
Author:		Date: 17 May 2022
	Patrick Drake Acoustic Consultant	
REVIEWED BY:		
Reviewer:		Date: 17 May 2022
	Jackson Yu Principal Acoustic Consultant – Team Leader	
AUTHORISED BY:		
		Date: 17 May 2022
	Jackson Yu Principal Acoustic Consultant – Team Leader	
REVISION HISTORY		
Revision No.	Date Issued	Reason/Comments
0	29 April 2016	Initial Issue
1	5 May 2016	Client Review
2	29 September 2017	Revised Layout Design
3	8 October 2017	Client Review
4	30 August 2018	Revised Layout Design
5	19 November 2019	Revised Stage 35 Layout
6	4 March 2020	Revised stages 25-28 layout
7	7 April 2020	Stage 35 Review
8	8 May 2020	Stage 27 & 28 Review
9	23 July 2020	Stage 42B Review
10	26 March 2021	Lot 461, 462 Subdivision
11	14 April 2022	Stage 31,32,40,41 Redesign
12	20 April 2022	Client Review
13	17 May 2022	Barrier Design Update
DISTRIBUTION		

17 May 2022



1	Project	
2	Client (PDF Format)	Uncontrolled Copy

NOTE: This is a controlled document within the document control system. If revised, it must be marked SUPERSEDED and returned to the Vipac QA Representative. This document contains commercial, conceptual and engineering information that is proprietary to Vipac Engineers & Scientists Ltd. We specifically state that inclusion of this information does not grant the Client any license to use the information without Vipac's written permission. We further require that the information not be divulged to a third party without our written consent



TABLE OF CONTENTS

1	INTRODUCTION	5
2	REFERENCES	5
3	DESCRIPTION OF THE DEVELOPMENT	5
4	NOISE ASSESSMENT CRITERIA.....	6
4.1	MBRC Planning Scheme Policy - Noise	6
4.2	Queensland Development Code MP4.4	7
4.3	Development on Land Affected By Transport and Transport Infrastructure	7
5	NOISE IMPACT ASSESSMENT	8
5.1	Modelling Methodology	8
5.2	Traffic Data	9
5.3	Predicted Traffic Noise Levels	10
5.3.1	Predicted Traffic Noise Levels With No Noise Mitigation	10
5.3.2	Noise Barrier Requirements	10
5.3.3	Predicted Traffic Noise with Noise Barriers	12
5.4	Noise Reduction Required for Buildings for MP4.4 Categories	12
6	CONCLUSION AND RECOMMENDATIONS	12
APPENDIX A	PREDICTED TRAFFIC NOISE LEVELS FOR PRIVATE OPEN SPACES.....	13
APPENDIX B	FAÇADE CORRECTED TRAFFIC NOISE LEVELS AND MP4.4 CATEGORIES	15

1 INTRODUCTION

Vipac Engineers & Scientists Ltd (Vipac) was previously commissioned by North East Business Park Pty Ltd to provide a road traffic noise impact assessment for Stage 14 to 45 of the Residential West Section of the Northeast Business Park and North Harbour development.

The layout of Stages 31, 32, 40 and 41 have been updated. This reassessment presents the updated noise prediction results.

This traffic noise assessment includes the following:

- Description of the development;
- Discussion of the applicable noise criteria;
- Prediction of future traffic noise levels for lots in Residential West Section Stage 14 to 45;
- Assessment of predicted traffic noise levels against applicable noise criteria; and
- Recommendations.

2 REFERENCES

The following information were referred to for this assessment report:

- Cardno in 2014 for Phase 1 report number C021_790359, dated 19th August 2014;
- Phase 2 (Stage 7 to 12) report number 519329-0, dated 17th December 2015 for phase 2;
- Stage 13 report number 519465-1, dated 10th February 2016 for Stage 13;
- Drawing “Building Envelope Plan – Stages 14-45” (Drawing number NH-CBE-3/PF) dated 14 April 2018;
- Revised Stage 35 Plans “17-150-01-25 (002).pdf” received on 18 November 2019;
- Revised Stages 25-28 Plans “S-7550-022-W Lot Calc.pdf” received on 13 Feb 2020;
- Revised Stages 31, 32, 40 and Plans ‘S-7550-022-AQ Lot Calcs.pdf’ dated 16th March 2022;
- Updated terrain data “Int Conts” received on 6th April 2022;
- Moreton Bay Regional Council Planning Scheme Policy – Noise;
- Queensland Development Code Mandatory Part 4.4 (MP4.4) for Buildings in a Transport Noise Corridor;
- Department of Transport and Main Roads (TMR) Policy for Development on Land Affected By Environmental Emissions from Transport and Transport Infrastructure, Version 2; and
- Department of Transport and Main Roads, Transport Noise Management Code of Practice 2013.

3 DESCRIPTION OF THE DEVELOPMENT

Stages 14 to 45 of the development (the development) are located in the Residential West section of the Northeast Business Park. The general layout and location of these stages are shown in Figure 3-1.

A previous assessment has been conducted by Cardno in 2014 for Phase 1 (Stage 1 to Stage 6) which is located adjacent to this development (report number C021_790359, dated 19th August 2014). Subsequent assessments for Phase 2 (Stage 7 to 12) and Stage 13 of the development was carried out by Vipac (report number 519329-0, dated 17th December 2015 for phase 2, and report number 519465-1, dated 10th February 2016 for Stage 13).

The information and assumptions in previous assessments have been referred to in this assessment.




Figure 3-1 Lot Layouts

4 NOISE ASSESSMENT CRITERIA

Potential traffic noise impacts have been assessed against the following documents:

- Moreton Bay Regional Council Planning Scheme Policy – Noise;
- Queensland Development Code Mandatory Part 4.4 (MP4.4) for Buildings in a Transport Noise Corridor; and
- Department of Transport and Main Roads (TMR) Policy for Development on Land Affected By Environmental Emissions from Transport and Transport Infrastructure, Version 2.

It should be noted the Moreton Bay Regional Council (MBRC) Planning Scheme replaced the Caboolture Shire Plan effective 1st February 2016, and this assessment has adopted the new MRBC Planning Scheme.

The MBRC Planning Scheme refers to both MP4.4 and the TMR Policy for Development on Land Affected by Environmental Emissions from Transport and Transport Infrastructure. The above policies and criteria are discussed in the section below.

4.1 MBRC PLANNING SCHEME POLICY - NOISE

The 'MRBC Planning Scheme Policy – Noise' outlines the process for establishing acceptable acoustic amenity at locations impacted by road and railway induced noise. Section 8.1 states that a transport noise impact assessment report is to be provided where development involves reconfiguring a lot in the General Residential zone where:

1. Proposed lots are located within:
 - a. 50 metres of a current or future designated sub arterial; or
 - b. 100 metres of a current or future designated arterial road; or
 - c. 150 metres of a highway or railway; or
 - d. extractive resource transport buffer
2. Where otherwise requested by Council.

The assessment is to be in accordance with MP4.4 and identify the applicable noise category for each lot for both lower and upper levels.

In addition to the above assessment, residential developments are required to have private open spaces that meet the external noise criteria as outline in TMR's 'Policy for Development on Land Affected by Environmental Emissions from Transport and Transport Infrastructure'.

4.2 QUEENSLAND DEVELOPMENT CODE MP4.4

The Queensland Development Code MP4.4 document specifies external building construction requirements based on the external road traffic noise levels to achieve acceptable indoor noise levels. The road traffic noise level categories, as specified in Schedule 3 of MP4.4, are given in Table 4-1. The required acoustic ratings for building components for each noise category are also listed in Table 4-1.

Table 4-1: MP4.4 Road Traffic Noise Category Levels and Required Building Construction Acoustic Ratings

Free-field Noise Category	Level of Traffic Noise L _{A10} (18hr) (façade corrected)	Required Acoustic Ratings (R _w)			
		Glazing and Frames		External Walls	Ceiling and Roofs
		Room Façade Glazing Area ≥ 1.8m ²	Room Façade Glazing < 1.8m ²		
Category 4	≥ 73 dB(A)	R _w 43	R _w 43	R _w 52	R _w 45
Category 3	68-72 dB(A)	R _w 38	R _w 35	R _w 47	R _w 41
Category 2	63-67 dB(A)	R _w 35	R _w 32	R _w 41	R _w 38
Category 1	58-62 dB(A)	R _w 27	R _w 24	R _w 35	R _w 35
Category 0	≤ 57 dB(A)	None	None	None	None

4.3 DEVELOPMENT ON LAND AFFECTED BY TRANSPORT AND TRANSPORT INFRASTRUCTURE

Table 3 of TMR's 'Policy for Development on Land Affected by Environmental Emissions from Transport and Transport Infrastructure' (version 2) outlines external noise criteria for new sensitive developments. The criteria for Private Open Spaces have been reproduced below in Table 4-2.

Table 4-2: External Noise Criteria

Transport Infrastructure	Development Type	Location Within Development	Environmental Criteria
State controlled road OR Multi-modal corridor which does not include a railway or includes	Accommodation activities Residential care facilities	Private open space	≤ 57 dB(A) L _{A10} (18hr) free field (measured L ₉₀ (18hr) free field between 6am and midnight ≤ 45dB(A))
			≤ 60 dB(A) L _{A10} (18hr) free field (measured L ₉₀ (18hr) free field between 6am and midnight > 45dB(A))

Noise monitoring results from the initial assessment carried out by Cardno for Phase 1 for the project would be applicable for this noise assessment. Noise monitoring results indicated measured L_{A90} (18hr) free field levels between 6am and midnight was greater than 45 dB(A), and a 60 dB(A) L_{A10} (18hr) free field criteria would be applicable.

5 NOISE IMPACT ASSESSMENT

Noise impact assessment has been conducted using SoundPlan noise modelling software. The following are discussed in this section:

- Modelling methodology and assumptions;
- Traffic data;
- Predicted road traffic noise levels;
- Noise barrier specifications; and
- Predicted road traffic noise levels with noise barriers.

5.1 MODELLING METHODOLOGY

The Calculation of Road Traffic Noise (CoRTN) algorithm was used to predict future traffic noise levels, taking into account the following information to calculate traffic noise levels:

- 3D topography of the site and surrounds;
- Road alignments and design;
- Ultimate year annual average daily traffic data and heavy vehicle percentage as per Cardno's assessment;
- Posted traffic speeds; and
- Existing noise fences for stages 1 to 13 (where existing fences range from 2.2m to 2.4m)

The following assumptions were made:

- All road surfaces are Dense Graded Asphalt (DGA);
- 2 storey houses will be built on lots;
- Receiver heights of 1.2m for private outdoor space, 1.8m for ground floor, and 4.6m for first floor has been used;
- A correction of -1.7 dB(A) has been applied for façade corrected receivers for Australian conditions (Department of Transport and Main Roads, Transport Noise Management Code of Practice 2013); and
- A correction of -0.7 dB(A) has been applied for free field locations for Australian conditions (Department of Transport and Main Roads, Transport Noise Management Code of Practice 2013).

5.2 TRAFFIC DATA

Roads near the development consist of sub arterial roads and collector roads. These are shown in Figure 5-1.



Figure 5-1 Major Roads Near the Development

Roads included in modelling are shown in Table 5-1. Low traffic flow roads (collector roads RWA1, 2 and 3 with estimated AADT ranging from 500 to 2,500) were not included in noise modelling. Where a range of traffic volume is given, the upper estimate has been used in modelling.

Table 5-1 Traffic Model Input Data for the Development

Road Link	Classification	Traffic Volume (AADT)	Heavy Vehicle %	Posted Speed (km/h)	Proposed Cross Section
Buckley Road Extension	Sub Arterial	10,300 to 14,200	5	60	4-Lanes
Buchanan Road Connection	Sub Arterial	12,700	5	60	4-Lanes
Roundabout 2 to Roundabout 1	Sub Arterial	12,000	5	60	2-Lanes
Roundabout 1 to MIBA	Sub Arterial	11,700	5	60	2-Lanes
Marina Access	Sub Arterial	14,200	5	60	4-Lanes

5.3 PREDICTED TRAFFIC NOISE LEVELS

Predicted traffic noise levels are presented in this section for future traffic levels without noise mitigation, and with noise mitigation.

5.3.1 PREDICTED TRAFFIC NOISE LEVELS WITH NO NOISE MITIGATION

5.3.1.1 PRIVATE OPEN SPACES

Noise modelling results show traffic noise levels at private open spaces will range between $L_{A10(18hr)}$ 41 dB(A) and 65 dB(A). While the majority of lots in the development are predicted to comply with TMR's private open space noise limit of $L_{A10(18hr)}$ free field of 60 dB(A), lots that are adjacent to roads in stages 18, 24, 27, 30, 31, 32, 34, 35, 37, 40, 42, and 45 are predicted to exceed the noise limit. Predicted noise levels for private open spaces (where noise levels are predicted to exceed) are presented in Appendix A. Noise mitigation in the form of noise barriers would be required for these lots.

5.3.1.2 FACADES OF RESIDENCES

Traffic noise levels at facades without noise barriers of future residences are predicted to range between $L_{A10(18hr)}$ 42 dB(A) and 68 dB(A) for ground floor of residences and $L_{A10(18hr)}$ 42 dB(A) and 70 dB(A) for upper floor of residences. Façade corrected traffic noise levels without noise barriers have been provided Appendix B.

5.3.2 NOISE BARRIER REQUIREMENTS

Noise barriers between 1.6m and 2.4m high would be required for lots adjacent to the road in stages 18, 27, 30, 31, 32, 34, 35, 37, 40, 42, and 45 to comply with TMR's private outdoor space noise limit of a 60dB(A) $L_{A10(18hr)}$ free field. The location and heights of noise barriers are shown in Figure 5-2. The noise barriers may consist of acoustic fencing and earth mound to achieve the required height.

Note that where batters or slopes were observed in the terrain contours along the lot boundaries, noise barriers were modelled to be located on the crest of batters or slopes (that is, the barrier heights provided are in addition to the batter or earth mound).



Figure 5-2 Location and Heights of Noise Barriers for Stages 14 to 45

5.3.3 PREDICTED TRAFFIC NOISE WITH NOISE BARRIERS

5.3.3.1 PRIVATE OPEN SPACES

Predicted noise levels for private open spaces with noise barriers are presented in Appendix A (for lots where traffic noise levels were predicted to exceed the noise limit without noise barriers). Free field noise levels with the noise barriers are predicted to be 60 dB(A) or less at private open spaces of all lots and comply with the noise criteria.

5.3.3.2 FACADES OF RESIDENCES

Facade corrected traffic noise levels for the ground floor and first floor of future residences are predicted to range between $L_{A10(18hr)}$ 42 dB(A) and 64 dB(A) for ground floor of residences and $L_{A10(18hr)}$ 42 dB(A) and 69 dB(A) for upper floor of residences. Noise modelling results are shown in Appendix B for each lot, for each stage from 14 to 45.

Most lots fall within the traffic noise category of 0 where no additional acoustic treatment would be required. A small number of lots near roads are predicted to fall under noise category of 1 to 3 where varying levels of acoustic treatment would be required. MP4.4 category for each lot is shown in Appendix B.

5.4 NOISE REDUCTION REQUIRED FOR BUILDINGS FOR MP4.4 CATEGORIES

The five noise categories are described in MP4.4 as follows:

- Category 0: No additional acoustic treatment required;
- Category 1: Minimum transport noise reduction of 25 dB(A) required for habitable rooms;
- Category 2: Minimum transport noise reduction of 30 dB(A) required for habitable rooms;
- Category 3: Minimum transport noise reduction of 35 dB(A) required for habitable rooms; and
- Category 4: Minimum transport noise reduction of 40 dB(A) required for habitable rooms.

The predicted traffic noise levels and the applicable construction category (based on predicted traffic noise levels with noise barriers) for each lot in the development are provided in Appendix B.

Where traffic noise is predicted to fall under category 1, 2, or 3, acoustic treatment would be required as applicable for the relevant category.

6 CONCLUSION AND RECOMMENDATIONS

Vipac Engineers & Scientists Ltd (Vipac) has completed a traffic noise impact assessment for stages 14 to 45 of the proposed development.

Traffic noise levels are predicted to exceed the noise limits are set out in Queensland Development Code MP4.4 and TMR's noise limit for private open spaces at a number of lots. The following noise mitigation measures are recommended:

- Noise barriers of between 1.6m and 2.4m as shown in Figure 5-2; and
- Acoustic treatment for ground and first floor that fall under MP4.4 categories of 1, 2, and 3, as listed for each lot in Appendix B. Queensland Development Code MP4.4 should be referred to for the suitable acoustic treatment options.

Appendix A PREDICTED TRAFFIC NOISE LEVELS FOR PRIVATE OPEN SPACES

Table A-1 Predicted Traffic Noise Levels in Private Open Spaces (for Lots exceeding the noise limit only)

Stage	Lot	Area	No Barriers	With Noise Barrier	Compliance with LA10,18hr 60dB(A) Criteria
			LA10, 18hr	LA10, 18hr	
18	1523	Private Open Space	62	57	Complies
18	524	Private Open Space	65	58	Complies
18	525	Private Open Space	65	58	Complies
18	526	Private Open Space	65	58	Complies
18	527	Private Open Space	65	58	Complies
24	41	Private Open Space	64	57	Complies
24	42	Private Open Space	64	57	Complies
24	43	Private Open Space	64	57	Complies
24	44	Private Open Space	63	57	Complies
24	45	Private Open Space	63	57	Complies
24	46	Private Open Space	64	58	Complies
24	47	Private Open Space	64	58	Complies
24	48	Private Open Space	65	59	Complies
24	49	Private Open Space	64	59	Complies
24	50	Private Open Space	65	59	Complies
24	52	Private Open Space	65	59	Complies
27	188	Private Open Space	63	56	Complies
27	189	Private Open Space	62	55	Complies
27	190	Private Open Space	62	56	Complies
27	191	Private Open Space	63	56	Complies
27	192	Private Open Space	63	56	Complies
27	193	Private Open Space	64	57	Complies
27	194	Private Open Space	64	57	Complies
27	195	Private Open Space	64	57	Complies
27	196	Private Open Space	65	57	Complies
27	197	Private Open Space	65	58	Complies
27	198	Private Open Space	65	58	Complies
27	199	Private Open Space	65	58	Complies
27	200	Private Open Space	65	59	Complies
27	201	Private Open Space	65	59	Complies
30	315	Private Open Space	63	55	Complies
30	316	Private Open Space	63	56	Complies
30	317	Private Open Space	63	56	Complies
30	318	Private Open Space	63	56	Complies
30	319	Private Open Space	62	55	Complies
30	320	Private Open Space	62	55	Complies
30	321	Private Open Space	62	55	Complies
30	322	Private Open Space	62	55	Complies
31	352	Private Open Space	62	56	Complies
31	353	Private Open Space	62	57	Complies
31	354	Private Open Space	62	55	Complies
31	355	Private Open Space	62	55	Complies
31	356	Private Open Space	62	57	Complies
31	357	Private Open Space	62	57	Complies
32	393	Private Open Space	64	58	Complies
32	394	Private Open Space	62	57	Complies
32	395	Private Open Space	62	57	Complies
34	694	Private Open Space	65	58	Complies
34	695	Private Open Space	65	57	Complies
34	710	Private Open Space	62	56	Complies



Stage	Lot	Area	No Barriers	With Noise Barrier	Compliance with $L_{A10,18hr}$ 60dB(A) Criteria
			$L_{A10, 18hr}$	$L_{A10, 18hr}$	
34	711	Private Open Space	62	58	Complies
35	725	Private Open Space	65	59	Complies
35	3501	Private Open Space	65	58	Complies
35	3502	Private Open Space	65	58	Complies
35	3503	Private Open Space	65	58	Complies
35	3504	Private Open Space	65	58	Complies
35	3505	Private Open Space	65	58	Complies
35	3506	Private Open Space	65	58	Complies
35	730	Private Open Space	65	59	Complies
37	829	Private Open Space	63	58	Complies
37	830	Private Open Space	64	58	Complies
37	831	Private Open Space	64	58	Complies
37	832	Private Open Space	64	58	Complies
37	833	Private Open Space	65	58	Complies
37	834	Private Open Space	65	59	Complies
37	835	Private Open Space	65	59	Complies
37	836	Private Open Space	65	59	Complies
40	554	Private Open Space	64	59	Complies
42	615	Private Open Space	64	59	Complies
42	616	Private Open Space	62	58	Complies
42	617	Private Open Space	62	56	Complies
42	618	Private Open Space	61	56	Complies
42	619	Private Open Space	62	56	Complies
42	620	Private Open Space	61	56	Complies
42	621	Private Open Space	61	56	Complies
42	622	Private Open Space	61	56	Complies
45	742	Private Open Space	62	56	Complies
45	743	Private Open Space	63	57	Complies
45	744	Private Open Space	63	56	Complies
45	745	Private Open Space	64	56	Complies
45	746	Private Open Space	64	57	Complies
45	747	Private Open Space	65	58	Complies
45	748	Private Open Space	65	58	Complies
45	749	Private Open Space	65	58	Complies
45	750	Private Open Space	65	59	Complies



Appendix B FAÇADE CORRECTED TRAFFIC NOISE LEVELS AND MP4.4 CATEGORIES

Table B-1 Façade Corrected Traffic Noise Levels and MP4.4 Categories (for all lots)

Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
14	424	Ground	46	46	0
14	424	First	47	47	0
14	425	Ground	46	46	0
14	425	First	48	47	0
14	426	Ground	47	46	0
14	426	First	48	47	0
14	427	Ground	47	47	0
14	427	First	48	48	0
14	428	Ground	46	46	0
14	428	First	47	47	0
14	429	Ground	46	46	0
14	429	First	47	47	0
14	430	Ground	46	46	0
14	430	First	47	47	0
14	431	Ground	45	45	0
14	431	First	47	47	0
14	432	Ground	45	45	0
14	432	First	46	46	0
14	433	Ground	45	45	0
14	433	First	46	46	0
14	434	Ground	45	45	0
14	434	First	46	46	0
14	435	Ground	45	45	0
14	435	First	46	46	0
14	436	Ground	45	45	0
14	436	First	46	46	0
14	437	Ground	45	45	0
14	437	First	46	46	0
14	438	Ground	45	45	0
14	438	First	46	46	0
14	439	Ground	45	45	0
14	439	First	46	46	0
14	440	Ground	45	45	0
14	440	First	46	46	0
14	441	Ground	44	44	0
14	441	First	46	46	0
14	442	Ground	44	44	0
14	442	First	46	46	0
14	443	Ground	47	47	0
14	443	First	48	48	0
14	444	Ground	46	46	0
14	444	First	47	47	0
14	445	Ground	46	46	0
14	445	First	47	47	0
14	446	Ground	46	46	0
14	446	First	47	47	0
14	447	Ground	46	46	0
14	447	First	47	47	0
14	448	Ground	45	45	0
14	448	First	47	46	0
14	449	Ground	45	45	0
14	449	First	46	46	0
14	450	Ground	45	45	0
14	450	First	46	46	0
14	451	Ground	45	45	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
14	451	First	46	46	0
14	452	Ground	44	44	0
14	452	First	46	46	0
14	453	Ground	44	44	0
14	453	First	45	45	0
15	1439	Ground	44	44	0
15	1439	First	45	45	0
15	1440	Ground	44	44	0
15	1440	First	45	45	0
15	1441	Ground	44	44	0
15	1441	First	45	45	0
15	1442	Ground	44	44	0
15	1442	First	45	45	0
15	1443	Ground	44	44	0
15	1443	First	45	45	0
15	1444	Ground	44	44	0
15	1444	First	45	45	0
15	1445	Ground	44	44	0
15	1445	First	45	45	0
15	1446	Ground	44	44	0
15	1446	First	45	45	0
15	1447	Ground	44	44	0
15	1447	First	45	45	0
15	1448	Ground	44	44	0
15	1448	First	45	45	0
15	1449	Ground	44	44	0
15	1449	First	45	45	0
15	1450	Ground	44	44	0
15	1450	First	46	45	0
15	1451	Ground	44	44	0
15	1451	First	46	46	0
15	1452	Ground	45	45	0
15	1452	First	46	46	0
15	1453	Ground	45	45	0
15	1453	First	46	46	0
15	454	Ground	45	45	0
15	454	First	46	46	0
15	455	Ground	45	45	0
15	455	First	47	46	0
15	456	Ground	45	45	0
15	456	First	47	47	0
15	457	Ground	46	46	0
15	457	First	47	47	0
15	458	Ground	46	46	0
15	458	First	47	47	0
15	459	Ground	47	46	0
15	459	First	48	48	0
15	460	Ground	47	47	0
15	460	First	48	48	0
15	461	Ground	46	46	0
15	461	First	47	47	0
15	462	Ground	46	46	0
15	462	First	47	47	0
15	463	Ground	46	46	0
15	463	First	47	47	0
15	464	Ground	45	45	0
15	464	First	46	46	0
15	465	Ground	45	45	0
15	465	First	46	46	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
15	466	Ground	45	45	0
15	466	First	46	46	0
15	467	Ground	44	44	0
15	467	First	46	46	0
15	468	Ground	44	44	0
15	468	First	46	46	0
15	469	Ground	44	44	0
15	469	First	45	45	0
15	470	Ground	44	44	0
15	470	First	45	45	0
15	471	Ground	44	44	0
15	471	First	45	45	0
16	472	Ground	43	43	0
16	472	First	45	45	0
16	473	Ground	43	43	0
16	473	First	45	45	0
16	474	Ground	43	43	0
16	474	First	45	44	0
16	475	Ground	43	43	0
16	475	First	45	45	0
16	476	Ground	43	43	0
16	476	First	45	45	0
16	477	Ground	44	44	0
16	477	First	45	45	0
16	478	Ground	44	44	0
16	478	First	45	45	0
16	479	Ground	44	44	0
16	479	First	46	46	0
16	480	Ground	44	44	0
16	480	First	46	46	0
16	481	Ground	44	44	0
16	481	First	46	46	0
16	482	Ground	45	45	0
16	482	First	46	46	0
16	483	Ground	46	46	0
16	483	First	47	47	0
16	484	Ground	46	46	0
16	484	First	47	47	0
16	485	Ground	45	45	0
16	485	First	47	47	0
16	486	Ground	45	45	0
16	486	First	47	47	0
16	487	Ground	46	46	0
16	487	First	47	47	0
16	488	Ground	46	46	0
16	488	First	47	47	0
16	490	Ground	45	45	0
16	490	First	46	46	0
16	491	Ground	44	44	0
16	491	First	46	46	0
16	492	Ground	44	44	0
16	492	First	46	46	0
16	493	Ground	44	44	0
16	493	First	46	46	0
16	494	Ground	44	44	0
16	494	First	46	46	0
16	495	Ground	44	44	0
16	495	First	46	46	0
16	496	Ground	44	44	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
16	496	First	45	45	0
16	497	Ground	43	44	0
16	497	First	45	45	0
16	498	Ground	43	43	0
16	498	First	45	45	0
16	499	Ground	43	43	0
16	499	First	45	45	0
16	500	Ground	43	43	0
16	500	First	45	45	0
16	501	Ground	43	43	0
16	501	First	44	44	0
16	502	Ground	43	43	0
16	502	First	44	44	0
16	503	Ground	45	45	0
16	503	First	47	47	0
16	503	Ground	43	43	0
16	503	First	44	44	0
16	850	Ground	43	43	0
16	850	First	45	45	0
17	504	Ground	57	57	0
17	504	First	64	64	2
17	505	Ground	56	55	0
17	505	First	58	57	0
17	506	Ground	55	54	0
17	506	First	57	56	0
17	507	Ground	54	53	0
17	507	First	56	55	0
17	508	Ground	53	53	0
17	508	First	55	54	0
17	509	Ground	53	52	0
17	509	First	54	54	0
17	510	Ground	52	52	0
17	510	First	54	53	0
17	511	Ground	52	51	0
17	511	First	53	53	0
17	512	Ground	51	51	0
17	512	First	53	52	0
17	513	Ground	51	51	0
17	513	First	52	52	0
17	514	Ground	50	50	0
17	514	First	52	51	0
17	515	Ground	50	50	0
17	515	First	51	51	0
17	516	Ground	50	50	0
17	516	First	52	51	0
17	517	Ground	51	51	0
17	517	First	52	52	0
17	518	Ground	52	51	0
17	518	First	53	53	0
17	519	Ground	52	52	0
17	519	First	54	53	0
17	520	Ground	53	52	0
17	520	First	54	54	0
17	521	Ground	54	53	0
17	521	First	55	55	0
17	522	Ground	55	54	0
17	522	First	56	55	0
17	523	Ground	56	55	0
17	523	First	57	56	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
17	544	Ground	49	49	0
17	544	First	50	50	0
17	545	Ground	49	49	0
17	545	First	51	50	0
17	546	Ground	50	50	0
17	546	First	51	51	0
17	547	Ground	50	50	0
17	547	First	51	51	0
17	548	Ground	50	49	0
17	548	First	51	51	0
17	549	Ground	49	49	0
17	549	First	51	50	0
17	550	Ground	49	49	0
17	550	First	50	50	0
17	551	Ground	48	48	0
17	551	First	50	50	0
17	552	Ground	48	48	0
17	552	First	49	49	0
17	553	Ground	48	48	0
17	553	First	49	49	0
17	554	Ground	48	48	0
17	554	First	49	49	0
17	555	Ground	48	48	0
17	555	First	49	49	0
17	556	Ground	48	48	0
17	556	First	49	49	0
17	557	Ground	47	48	0
17	557	First	49	49	0
18	1523	Ground	64	61	1
18	1523	First	66	65	2
18	1563	Ground	47	47	0
18	1563	First	48	48	0
18	524	Ground	67	62	1
18	524	First	68	68	3
18	525	Ground	67	62	1
18	525	First	68	68	3
18	526	Ground	67	62	1
18	526	First	68	68	3
18	527	Ground	67	62	1
18	527	First	68	68	3
18	528	Ground	57	56	0
18	528	First	58	57	0
18	529	Ground	55	55	0
18	529	First	57	56	0
18	530	Ground	53	53	0
18	530	First	54	54	0
18	531	Ground	53	53	0
18	531	First	55	54	0
18	532	Ground	53	53	0
18	532	First	55	54	0
18	533	Ground	52	52	0
18	533	First	54	53	0
18	534	Ground	51	51	0
18	534	First	53	52	0
18	535	Ground	51	50	0
18	535	First	52	52	0
18	536	Ground	50	50	0
18	536	First	51	51	0
18	537	Ground	50	50	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
18	537	First	51	51	0
18	538	Ground	49	49	0
18	538	First	51	50	0
18	539	Ground	49	49	0
18	539	First	50	50	0
18	540	Ground	48	48	0
18	540	First	50	49	0
18	541	Ground	48	48	0
18	541	First	50	49	0
18	542	Ground	48	48	0
18	542	First	50	49	0
18	543	Ground	48	48	0
18	543	First	50	49	0
18	558	Ground	47	47	0
18	558	First	49	49	0
18	559	Ground	47	47	0
18	559	First	49	49	0
18	560	Ground	47	47	0
18	560	First	49	49	0
18	561	Ground	47	47	0
18	561	First	49	49	0
18	562	Ground	47	47	0
18	562	First	48	48	0
18	563	Ground	46	46	0
18	563	First	47	47	0
18	564	Ground	46	46	0
18	564	First	47	47	0
18	564	Ground	47	47	0
18	564	First	48	48	0
19	1567	Ground	45	46	0
19	1567	First	46	46	0
19	1568	Ground	46	46	0
19	1568	First	47	47	0
19	565	Ground	46	46	0
19	565	First	47	47	0
19	566	Ground	46	46	0
19	566	First	47	47	0
19	567	Ground	45	45	0
19	567	First	46	46	0
19	568	Ground	45	45	0
19	568	First	46	46	0
19	569	Ground	45	45	0
19	569	First	46	46	0
19	570	Ground	44	44	0
19	570	First	45	45	0
19	571	Ground	44	44	0
19	571	First	45	45	0
19	572	Ground	44	44	0
19	572	First	45	45	0
19	573	Ground	44	44	0
19	573	First	45	45	0
19	574	Ground	45	45	0
19	574	First	46	46	0
19	575	Ground	45	45	0
19	575	First	46	46	0
19	576	Ground	45	45	0
19	576	First	46	46	0
19	577	Ground	45	45	0
19	577	First	46	46	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
19	578	Ground	45	45	0
19	578	First	46	46	0
19	579	Ground	46	46	0
19	579	First	47	47	0
19	580	Ground	46	46	0
19	580	First	47	47	0
19	581	Ground	46	46	0
19	581	First	47	47	0
19	582	Ground	46	46	0
19	582	First	47	47	0
19	583	Ground	46	46	0
19	583	First	47	47	0
19	584	Ground	46	46	0
19	584	First	47	47	0
19	585	Ground	46	46	0
19	585	First	47	47	0
19	586	Ground	46	46	0
19	586	First	47	47	0
19	587	Ground	46	46	0
19	587	First	47	47	0
19	588	Ground	46	46	0
19	588	First	47	47	0
19	589	Ground	46	46	0
19	589	First	47	47	0
19	590	Ground	46	46	0
19	590	First	47	47	0
19	591	Ground	46	46	0
19	591	First	47	47	0
19	592	Ground	46	46	0
19	592	First	47	47	0
19	593	Ground	46	46	0
19	593	First	47	47	0
19	594	Ground	47	47	0
19	594	First	48	48	0
19	595	Ground	47	47	0
19	595	First	48	48	0
19	596	Ground	47	47	0
19	596	First	48	48	0
19	597	Ground	47	47	0
19	597	First	48	48	0
19	598	Ground	47	47	0
19	598	First	48	48	0
19	599	Ground	47	47	0
19	599	First	48	48	0
19	600	Ground	47	47	0
19	600	First	48	48	0
19	601	Ground	47	47	0
19	601	First	48	48	0
19	602	Ground	47	47	0
19	602	First	48	48	0
20	603	Ground	43	43	0
20	603	First	44	44	0
20	604	Ground	43	43	0
20	604	First	44	44	0
20	605	Ground	43	43	0
20	605	First	44	44	0
20	606	Ground	43	43	0
20	606	First	44	44	0
20	607	Ground	44	43	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
20	607	First	44	44	0
20	608	Ground	44	44	0
20	608	First	45	45	0
20	609	Ground	44	44	0
20	609	First	45	45	0
20	610	Ground	43	43	0
20	610	First	45	45	0
20	611	Ground	44	44	0
20	611	First	45	45	0
20	612	Ground	44	44	0
20	612	First	45	45	0
20	613	Ground	44	44	0
20	613	First	46	45	0
20	614	Ground	44	44	0
20	614	First	46	46	0
20	615	Ground	44	44	0
20	615	First	46	46	0
20	616	Ground	45	45	0
20	616	First	47	46	0
20	617	Ground	45	46	0
20	617	First	46	46	0
20	618	Ground	46	45	0
20	618	First	46	46	0
20	620	Ground	45	46	0
20	620	First	46	46	0
20	621	Ground	45	45	0
20	621	First	46	46	0
20	622	Ground	45	45	0
20	622	First	45	45	0
20	623	Ground	45	45	0
20	623	First	45	45	0
20	624	Ground	45	45	0
20	624	First	45	45	0
20	625	Ground	45	45	0
20	625	First	45	45	0
20	626	Ground	44	45	0
20	626	First	45	45	0
20	627	Ground	44	44	0
20	627	First	45	45	0
20	628	Ground	44	44	0
20	628	First	44	44	0
20	629	Ground	44	44	0
20	629	First	44	44	0
20	630	Ground	43	43	0
20	630	First	44	44	0
20	631	Ground	43	43	0
20	631	First	44	44	0
20	632	Ground	43	43	0
20	632	First	43	43	0
20	633	Ground	43	43	0
20	633	First	43	43	0
21	634	Ground	42	42	0
21	634	First	43	43	0
21	635	Ground	42	42	0
21	635	First	43	43	0
21	636	Ground	42	42	0
21	636	First	43	43	0
21	637	Ground	42	42	0
21	637	First	43	43	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
21	638	Ground	42	42	0
21	638	First	43	43	0
21	639	Ground	42	42	0
21	639	First	42	42	0
21	640	Ground	42	42	0
21	640	First	43	43	0
21	641	Ground	42	42	0
21	641	First	43	43	0
21	642	Ground	43	42	0
21	642	First	43	43	0
21	643	Ground	43	42	0
21	643	First	43	43	0
21	644	Ground	42	42	0
21	644	First	43	43	0
21	645	Ground	42	42	0
21	645	First	43	43	0
21	646	Ground	43	43	0
21	646	First	43	43	0
21	647	Ground	43	43	0
21	647	First	43	43	0
21	648	Ground	43	43	0
21	648	First	43	43	0
21	649	Ground	43	43	0
21	649	First	43	43	0
21	650	Ground	43	43	0
21	650	First	44	44	0
21	651	Ground	44	43	0
21	651	First	44	44	0
21	652	Ground	44	44	0
21	652	First	44	44	0
21	653	Ground	44	44	0
21	653	First	44	44	0
21	654	Ground	44	44	0
21	654	First	44	44	0
21	655	Ground	44	43	0
21	655	First	44	44	0
21	656	Ground	44	44	0
21	656	First	44	44	0
21	657	Ground	44	44	0
21	657	First	44	44	0
21	658	Ground	44	44	0
21	658	First	45	45	0
21	659	Ground	44	44	0
21	659	First	44	44	0
21	660	Ground	45	45	0
21	660	First	45	45	0
21	661	Ground	45	45	0
21	661	First	45	45	0
22	619	Ground	46	46	0
22	619	First	47	47	0
22	662	Ground	45	45	0
22	662	First	45	45	0
22	663	Ground	45	45	0
22	663	First	45	45	0
22	664	Ground	45	45	0
22	664	First	46	46	0
22	665	Ground	45	45	0
22	665	First	46	46	0
22	667	Ground	45	45	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
22	667	First	46	46	0
22	668	Ground	45	45	0
22	668	First	46	46	0
22	669	Ground	45	45	0
22	669	First	46	46	0
22	670	Ground	45	45	0
22	670	First	47	47	0
22	671	Ground	46	46	0
22	671	First	47	47	0
22	672	Ground	46	46	0
22	672	First	47	47	0
22	673	Ground	46	46	0
22	673	First	47	47	0
22	674	Ground	47	47	0
22	674	First	48	48	0
22	675	Ground	47	47	0
22	675	First	48	48	0
22	676	Ground	46	46	0
22	676	First	48	48	0
22	677	Ground	46	46	0
22	677	First	48	48	0
22	678	Ground	46	46	0
22	678	First	48	48	0
22	679	Ground	46	46	0
22	679	First	48	48	0
22	680	Ground	46	46	0
22	680	First	47	47	0
22	681	Ground	46	46	0
22	681	First	47	47	0
22	682	Ground	46	46	0
22	682	First	47	47	0
22	683	Ground	46	46	0
22	683	First	47	47	0
22	684	Ground	46	46	0
22	684	First	47	47	0
22	685	Ground	46	46	0
22	685	First	47	47	0
22	686	Ground	46	46	0
22	686	First	47	47	0
22	687	Ground	46	46	0
22	687	First	47	47	0
22	688	Ground	45	45	0
22	688	First	46	46	0
22	689	Ground	45	45	0
22	689	First	46	46	0
22	690	Ground	45	45	0
22	690	First	46	46	0
22	691	Ground	45	45	0
22	691	First	46	46	0
22	692	Ground	44	44	0
22	692	First	46	46	0
22	693	Ground	44	44	0
22	693	First	45	45	0
22	888	Ground	44	44	0
22	888	First	45	45	0
23	1	Ground	53	52	0
23	1	First	55	53	0
23	2	Ground	52	51	0
23	2	First	54	52	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
23	3	Ground	52	51	0
23	3	First	54	52	0
23	4	Ground	51	50	0
23	4	First	53	51	0
23	5	Ground	51	50	0
23	5	First	53	51	0
23	6	Ground	50	49	0
23	6	First	52	50	0
23	7	Ground	50	49	0
23	7	First	52	50	0
23	8	Ground	49	48	0
23	8	First	51	50	0
23	9	Ground	49	48	0
23	9	First	51	49	0
23	10	Ground	49	48	0
23	10	First	51	49	0
23	11	Ground	49	48	0
23	11	First	51	49	0
23	12	Ground	48	48	0
23	12	First	50	49	0
23	13	Ground	49	48	0
23	13	First	50	49	0
23	14	Ground	48	48	0
23	14	First	50	49	0
23	15	Ground	48	48	0
23	15	First	50	49	0
23	16	Ground	48	48	0
23	16	First	50	49	0
23	17	Ground	49	48	0
23	17	First	51	50	0
23	18	Ground	49	49	0
23	18	First	51	50	0
23	19	Ground	50	49	0
23	19	First	52	50	0
23	20	Ground	50	50	0
23	20	First	52	51	0
23	21	Ground	50	50	0
23	21	First	52	51	0
23	22	Ground	51	50	0
23	22	First	53	52	0
23	23	Ground	51	51	0
23	23	First	53	52	0
23	24	Ground	52	52	0
23	24	First	54	53	0
23	25	Ground	49	48	0
23	25	First	51	50	0
23	26	Ground	49	49	0
23	26	First	51	50	0
23	27	Ground	50	49	0
23	27	First	52	51	0
23	28	Ground	51	50	0
23	28	First	53	51	0
23	29	Ground	51	50	0
23	29	First	53	52	0
23	30	Ground	52	51	0
23	30	First	54	52	0
23	31	Ground	52	51	0
23	31	First	54	53	0
23	32	Ground	53	52	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
23	32	First	55	53	0
23	33	Ground	53	53	0
23	33	First	55	54	0
24	34	Ground	54	53	0
24	34	First	56	55	0
24	35	Ground	55	54	0
24	35	First	57	55	0
24	36	Ground	55	54	0
24	36	First	57	56	0
24	37	Ground	56	55	0
24	37	First	58	56	0
24	38	Ground	57	56	0
24	38	First	59	57	0
24	39	Ground	58	56	0
24	39	First	60	58	1
24	40	Ground	59	57	0
24	40	First	62	60	1
24	41	Ground	66	60	1
24	41	First	68	68	3
24	42	Ground	66	60	1
24	42	First	68	67	2
24	43	Ground	66	60	1
24	43	First	68	67	2
24	44	Ground	66	59	1
24	44	First	67	67	2
24	45	Ground	66	60	1
24	45	First	67	66	2
24	46	Ground	66	60	1
24	46	First	68	67	2
24	47	Ground	66	61	1
24	47	First	68	67	2
24	48	Ground	67	63	2
24	48	First	69	68	3
24	49	Ground	67	62	1
24	49	First	68	68	3
24	50	Ground	67	63	2
24	50	First	68	68	3
24	52	Ground	67	62	1
24	52	First	69	68	3
24	53	Ground	59	56	0
24	53	First	61	58	1
24	54	Ground	58	55	0
24	54	First	59	57	0
24	55	Ground	56	54	0
24	55	First	58	56	0
24	56	Ground	56	53	0
24	56	First	57	55	0
24	57	Ground	58	56	0
24	57	First	60	58	1
24	58	Ground	58	56	0
24	58	First	60	57	0
24	59	Ground	59	56	0
24	59	First	60	58	1
24	60	Ground	58	56	0
24	60	First	60	58	1
24	61	Ground	59	56	0
24	61	First	61	58	1
24	62	Ground	57	55	0
24	62	First	59	57	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
24	63	Ground	56	54	0
24	63	First	58	56	0
24	64	Ground	56	54	0
24	64	First	58	56	0
24	65	Ground	56	54	0
24	65	First	58	56	0
24	66	Ground	56	54	0
24	66	First	58	56	0
24	67	Ground	56	54	0
24	67	First	58	56	0
24	68	Ground	54	53	0
24	68	First	56	54	0
24	69	Ground	54	53	0
24	69	First	56	54	0
24	70	Ground	54	52	0
24	70	First	56	54	0
24	71	Ground	54	52	0
24	71	First	56	53	0
24	72	Ground	54	52	0
24	72	First	55	53	0
24	73	Ground	54	52	0
24	73	First	55	53	0
24	172	Ground	54	52	0
24	172	First	55	53	0
25	74	Ground	52	51	0
25	74	First	54	52	0
25	75	Ground	51	50	0
25	75	First	53	51	0
25	76	Ground	50	49	0
25	76	First	52	50	0
25	77	Ground	49	48	0
25	77	First	51	49	0
25	78	Ground	50	48	0
25	78	First	51	49	0
25	79	Ground	50	49	0
25	79	First	51	50	0
25	80	Ground	50	49	0
25	80	First	52	50	0
25	81	Ground	50	49	0
25	81	First	52	50	0
25	82	Ground	50	49	0
25	82	First	52	50	0
25	83	Ground	50	49	0
25	83	First	52	50	0
25	84	Ground	50	49	0
25	84	First	52	50	0
25	85	Ground	51	50	0
25	85	First	53	51	0
25	86	Ground	52	50	0
25	86	First	54	51	0
25	87	Ground	53	51	0
25	87	First	55	52	0
25	88	Ground	55	53	0
25	88	First	57	54	0
25	89	Ground	55	53	0
25	89	First	57	54	0
25	90	Ground	55	53	0
25	90	First	57	54	0
25	91	Ground	55	53	00



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
25	91	First	57	54	0
25	92	Ground	54	51	0
25	92	First	55	52	0
25	93	Ground	53	51	0
25	93	First	55	52	0
25	94	Ground	53	51	0
25	94	First	55	52	0
25	95	Ground	53	51	0
25	95	First	54	52	0
25	96	Ground	52	50	0
25	96	First	53	51	0
25	97	Ground	51	50	0
25	97	First	53	51	0
25	98	Ground	51	49	0
25	98	First	52	50	0
25	99	Ground	51	50	0
25	99	First	53	50	0
25	100	Ground	51	50	0
25	100	First	53	50	0
25	101	Ground	51	50	0
25	101	First	53	51	0
25	102	Ground	50	49	0
25	102	First	52	50	0
25	103	Ground	50	48	0
25	103	First	51	49	0
25	104	Ground	50	48	0
25	104	First	51	49	0
25	105	Ground	50	49	0
25	105	First	52	49	0
25	106	Ground	50	49	0
25	106	First	51	49	0
25	107	Ground	50	48	0
25	107	First	51	49	0
25	108	Ground	50	48	0
25	108	First	51	49	0
25	109	Ground	49	48	0
25	109	First	51	49	0
25	110	Ground	49	48	0
25	110	First	51	49	0
25	111	Ground	49	48	0
25	111	First	51	49	0
25	112	Ground	49	48	0
25	112	First	51	49	0
25	113	Ground	49	48	0
25	113	First	50	49	0
25	114	Ground	49	48	0
25	114	First	50	48	0
25	115	Ground	48	47	0
25	115	First	50	48	0
25	116	Ground	49	48	0
25	116	First	51	49	0
25	117	Ground	49	48	0
25	117	First	51	49	0
25	118	Ground	49	48	0
25	118	First	51	49	0
25	119	Ground	50	49	0
25	119	First	52	50	0
25	120	Ground	51	49	0
25	120	First	52	50	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
25	121	Ground	51	50	0
25	121	First	53	51	0
25	122	Ground	51	50	0
25	122	First	53	51	0
25	123	Ground	52	51	0
25	123	First	54	52	0
26	124	Ground	47	46	0
26	124	First	49	47	0
26	125	Ground	47	47	0
26	125	First	49	48	0
26	126	Ground	47	47	0
26	126	First	49	48	0
26	127	Ground	47	47	0
26	127	First	49	48	0
26	128	Ground	47	47	0
26	128	First	49	48	0
26	129	Ground	47	46	0
26	129	First	49	48	0
26	130	Ground	47	46	0
26	130	First	49	48	0
26	131	Ground	47	47	0
26	131	First	49	48	0
26	132	Ground	47	47	0
26	132	First	49	48	0
26	133	Ground	48	47	0
26	133	First	49	48	0
26	134	Ground	48	47	0
26	134	First	50	48	0
26	135	Ground	48	47	0
26	135	First	50	48	0
26	136	Ground	48	47	0
26	136	First	50	48	0
26	137	Ground	48	47	0
26	137	First	50	48	0
26	138	Ground	48	47	0
26	138	First	50	48	0
26	139	Ground	48	47	0
26	139	First	50	48	0
26	140	Ground	49	48	0
26	140	First	51	49	0
26	141	Ground	49	48	0
26	141	First	50	48	0
26	142	Ground	49	48	0
26	142	First	50	48	0
26	143	Ground	49	48	0
26	143	First	51	49	0
26	144	Ground	49	48	0
26	144	First	51	49	0
26	145	Ground	49	48	0
26	145	First	51	49	0
26	146	Ground	49	48	0
26	146	First	51	49	0
26	147	Ground	50	48	0
26	147	First	51	49	0
26	148	Ground	49	48	0
26	148	First	50	48	0
26	149	Ground	49	47	0
26	149	First	50	48	0
26	150	Ground	49	47	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
26	150	First	50	48	0
26	151	Ground	49	47	0
26	151	First	50	48	0
26	152	Ground	48	47	0
26	152	First	50	48	0
26	153	Ground	48	47	0
26	153	First	50	48	0
26	154	Ground	48	47	0
26	154	First	50	48	0
26	155	Ground	48	47	0
26	155	First	50	48	0
26	156	Ground	48	47	0
26	156	First	49	48	0
26	157	Ground	48	47	0
26	157	First	49	48	0
26	158	Ground	48	47	0
26	158	First	49	47	0
26	159	Ground	48	47	0
26	159	First	49	47	0
26	160	Ground	48	47	0
26	160	First	49	47	0
26	161	Ground	47	46	0
26	161	First	49	47	0
27	162	Ground	58	56	0
27	162	First	60	58	1
27	163	Ground	59	56	0
27	163	First	60	58	1
27	164	Ground	58	55	0
27	164	First	60	57	0
27	165	Ground	58	55	0
27	165	First	60	57	0
27	166	Ground	57	54	0
27	166	First	59	56	0
27	167	Ground	56	53	0
27	167	First	58	55	0
27	168	Ground	55	52	0
27	168	First	57	54	0
27	169	Ground	54	51	0
27	169	First	55	52	0
27	170	Ground	53	51	0
27	170	First	55	52	0
27	171	Ground	53	50	0
27	171	First	54	51	0
27	173	Ground	52	50	0
27	173	First	54	51	0
27	174	Ground	51	49	0
27	174	First	52	50	0
27	175	Ground	51	49	0
27	175	First	52	50	0
27	176	Ground	51	49	0
27	176	First	53	50	0
27	177	Ground	52	50	0
27	177	First	53	50	0
27	178	Ground	52	50	0
27	178	First	53	50	0
27	179	Ground	52	50	0
27	179	First	53	50	0
27	180	Ground	52	50	0
27	180	First	53	51	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
27	181	Ground	52	50	0
27	181	First	53	51	0
27	182	Ground	52	50	0
27	182	First	53	51	0
27	183	Ground	54	51	0
27	183	First	55	52	0
27	184	Ground	54	51	0
27	184	First	56	52	0
27	185	Ground	55	52	0
27	185	First	57	53	0
27	186	Ground	56	53	0
27	186	First	58	54	0
27	187	Ground	57	54	0
27	187	First	59	55	0
27	188	Ground	63	57	0
27	188	First	66	64	2
27	189	Ground	64	57	0
27	189	First	67	64	2
27	190	Ground	64	57	0
27	190	First	67	64	2
27	191	Ground	65	58	1
27	191	First	68	65	2
27	192	Ground	65	58	1
27	192	First	68	65	2
27	193	Ground	65	58	1
27	193	First	68	65	2
27	194	Ground	65	58	1
27	194	First	67	65	2
27	195	Ground	65	58	1
27	195	First	67	65	2
27	196	Ground	65	59	1
27	196	First	67	65	2
27	197	Ground	65	59	1
27	197	First	67	65	2
27	198	Ground	65	59	1
27	198	First	66	65	2
27	199	Ground	65	59	1
27	199	First	66	65	2
27	200	Ground	65	60	1
27	200	First	67	66	2
27	201	Ground	65	60	1
27	201	First	67	66	2
27	202	Ground	58	54	0
27	202	First	60	56	0
27	203	Ground	56	53	0
27	203	First	58	54	0
27	204	Ground	55	52	0
27	204	First	57	53	0
27	205	Ground	54	52	0
27	205	First	56	53	0
27	206	Ground	54	51	0
27	206	First	55	52	0
27	207	Ground	53	51	0
27	207	First	55	52	0
27	208	Ground	53	50	0
27	208	First	54	51	0
27	209	Ground	53	51	0
27	209	First	55	52	0
27	210	Ground	54	51	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
27	210	First	55	52	0
27	211	Ground	55	52	0
27	211	First	56	53	0
27	212	Ground	56	52	0
27	212	First	57	54	0
27	213	Ground	57	53	0
27	213	First	58	55	0
27	214	Ground	58	54	0
27	214	First	60	56	0
28	215	Ground	54	51	0
28	215	First	55	52	0
28	216	Ground	54	51	0
28	216	First	55	52	0
28	217	Ground	54	51	0
28	217	First	55	52	0
28	218	Ground	54	51	0
28	218	First	55	52	0
28	219	Ground	55	52	0
28	219	First	57	53	0
28	220	Ground	56	53	0
28	220	First	58	54	0
28	221	Ground	57	54	0
28	221	First	59	55	0
28	222	Ground	57	54	0
28	222	First	60	56	0
28	223	Ground	56	53	0
28	223	First	58	54	0
28	224	Ground	55	52	0
28	224	First	57	53	0
28	225	Ground	54	52	0
28	225	First	56	53	0
28	226	Ground	54	51	0
28	226	First	56	52	0
28	227	Ground	53	51	0
28	227	First	55	52	0
28	228	Ground	53	50	0
28	228	First	54	51	0
28	229	Ground	52	50	0
28	229	First	54	51	0
28	230	Ground	52	50	0
28	230	First	53	50	0
28	231	Ground	52	49	0
28	231	First	53	50	0
28	232	Ground	52	50	0
28	232	First	54	51	0
28	233	Ground	52	50	0
28	233	First	54	51	0
28	234	Ground	52	50	0
28	234	First	54	51	0
28	235	Ground	52	49	0
28	235	First	53	50	0
28	236	Ground	51	49	0
28	236	First	53	50	0
28	237	Ground	51	49	0
28	237	First	52	49	0
28	238	Ground	51	49	0
28	238	First	52	49	0
28	239	Ground	51	49	0
28	239	First	52	49	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
28	240	Ground	50	48	0
28	240	First	52	49	0
28	241	Ground	50	48	0
28	241	First	52	49	0
28	242	Ground	50	48	0
28	242	First	52	49	0
28	243	Ground	50	48	0
28	243	First	51	49	0
28	244	Ground	50	48	0
28	244	First	51	49	0
29	252	Ground	50	48	0
29	252	First	51	49	0
29	253	Ground	50	48	0
29	253	First	51	49	0
29	254	Ground	49	48	0
29	254	First	51	48	0
29	255	Ground	49	48	0
29	255	First	50	48	0
29	256	Ground	49	47	0
29	256	First	50	48	0
29	257	Ground	48	47	0
29	257	First	50	48	0
29	258	Ground	48	47	0
29	258	First	49	47	0
29	259	Ground	47	46	0
29	259	First	49	47	0
29	260	Ground	47	46	0
29	260	First	48	47	0
29	261	Ground	47	46	0
29	261	First	48	47	0
29	262	Ground	47	46	0
29	262	First	48	46	0
29	263	Ground	47	46	0
29	263	First	48	46	0
29	264	Ground	47	46	0
29	264	First	48	47	0
29	265	Ground	47	46	0
29	265	First	48	47	0
29	266	Ground	48	46	0
29	266	First	49	47	0
29	267	Ground	48	47	0
29	267	First	49	47	0
29	268	Ground	48	47	0
29	268	First	49	47	0
29	269	Ground	48	47	0
29	269	First	49	47	0
29	270	Ground	49	47	0
29	270	First	50	48	0
29	271	Ground	49	47	0
29	271	First	50	48	0
29	272	Ground	49	47	0
29	272	First	50	48	0
29	273	Ground	49	47	0
29	273	First	50	48	0
29	274	Ground	49	47	0
29	274	First	50	48	0
29	275	Ground	48	47	0
29	275	First	50	48	0
29	276	Ground	48	47	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
29	276	First	49	47	0
29	277	Ground	48	47	0
29	277	First	49	47	0
29	278	Ground	48	47	0
29	278	First	49	47	0
29	279	Ground	48	46	0
29	279	First	49	47	0
29	280	Ground	48	46	0
29	280	First	49	47	0
29	281	Ground	47	46	0
29	281	First	48	47	0
29	282	Ground	47	46	0
29	282	First	48	46	0
29	283	Ground	47	46	0
29	283	First	48	46	0
29	284	Ground	47	46	0
29	284	First	48	47	0
29	285	Ground	47	46	0
29	285	First	48	47	0
29	286	Ground	48	46	0
29	286	First	49	47	0
29	287	Ground	48	47	0
29	287	First	49	47	0
29	288	Ground	48	47	0
29	288	First	49	47	0
29	289	Ground	48	47	0
29	289	First	49	47	0
29	290	Ground	48	47	0
29	290	First	50	47	0
29	291	Ground	49	47	0
29	291	First	50	48	0
29	292	Ground	49	47	0
29	292	First	50	48	0
30	293	Ground	51	49	0
30	293	First	52	49	0
30	294	Ground	51	49	0
30	294	First	52	49	0
30	295	Ground	51	49	0
30	295	First	52	49	0
30	296	Ground	51	49	0
30	296	First	52	49	0
30	297	Ground	52	49	0
30	297	First	53	50	0
30	298	Ground	52	49	0
30	298	First	53	50	0
30	299	Ground	52	49	0
30	299	First	53	50	0
30	300	Ground	52	49	0
30	300	First	53	50	0
30	301	Ground	52	49	0
30	301	First	53	50	0
30	302	Ground	52	49	0
30	302	First	53	50	0
30	303	Ground	52	49	0
30	303	First	53	50	0
30	304	Ground	52	49	0
30	304	First	53	50	0
30	305	Ground	52	50	0
30	305	First	54	51	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
30	306	Ground	53	50	0
30	306	First	54	51	0
30	307	Ground	53	51	0
30	307	First	55	51	0
30	308	Ground	54	51	0
30	308	First	55	52	0
30	309	Ground	54	51	0
30	309	First	56	52	0
30	310	Ground	55	52	0
30	310	First	57	53	0
30	311	Ground	56	53	0
30	311	First	58	54	0
30	312	Ground	57	53	0
30	312	First	59	55	0
30	313	Ground	58	54	0
30	313	First	60	56	0
30	314	Ground	60	55	0
30	314	First	61	57	0
30	315	Ground	66	58	1
30	315	First	69	67	2
30	316	Ground	67	59	1
30	316	First	69	66	2
30	317	Ground	67	59	1
30	317	First	69	66	2
30	318	Ground	66	58	1
30	318	First	69	65	2
30	319	Ground	65	58	1
30	319	First	69	65	2
30	320	Ground	65	58	1
30	320	First	69	65	2
30	321	Ground	65	58	1
30	321	First	69	65	2
30	322	Ground	65	58	1
30	322	First	69	65	2
30	323	Ground	60	54	0
30	323	First	61	57	0
30	324	Ground	58	54	0
30	324	First	60	55	0
30	325	Ground	57	53	0
30	325	First	59	54	0
30	326	Ground	56	52	0
30	326	First	58	54	0
30	327	Ground	55	52	0
30	327	First	57	53	0
30	328	Ground	54	51	0
30	328	First	56	52	0
30	329	Ground	53	51	0
30	329	First	55	52	0
30	330	Ground	53	50	0
30	330	First	55	51	0
30	331	Ground	53	50	0
30	331	First	54	51	0
30	332	Ground	52	50	0
30	332	First	54	51	0
31	333	Ground	52	49	0
31	333	First	53	50	0
31	334	Ground	52	49	0
31	334	First	53	50	0
31	335	Ground	52	49	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
31	335	First	53	50	0
31	336	Ground	52	49	0
31	336	First	53	50	0
31	337	Ground	52	49	0
31	337	First	53	50	0
31	338	Ground	51	49	0
31	338	First	53	50	0
31	339	Ground	51	49	0
31	339	First	53	50	0
31	340	Ground	51	49	0
31	340	First	53	50	0
31	341	Ground	52	50	0
31	341	First	54	51	0
31	342	Ground	52	50	0
31	342	First	54	51	0
31	343	Ground	52	50	0
31	343	First	54	51	0
31	344	Ground	53	51	0
31	344	First	55	52	0
31	345	Ground	54	51	0
31	345	First	56	52	0
31	346	Ground	55	52	0
31	346	First	57	53	0
31	347	Ground	56	53	0
31	347	First	58	54	0
31	348	Ground	57	54	0
31	348	First	59	55	0
31	349	Ground	60	55	0
31	349	First	61	57	0
31	350	Ground	60	55	0
31	350	First	61	57	0
31	351	Ground	60	55	0
31	351	First	61	57	0
31	352	Ground	65	58	1
31	352	First	69	65	2
31	353	Ground	65	59	1
31	353	First	69	66	2
31	354	Ground	66	58	1
31	354	First	70	67	2
31	355	Ground	66	59	1
31	355	First	70	67	2
31	356	Ground	66	59	1
31	356	First	70	67	2
31	357	Ground	65	59	1
31	357	First	69	67	2
31	358	Ground	59	55	0
31	358	First	61	57	0
31	359	Ground	58	54	0
31	359	First	60	56	0
31	360	Ground	57	53	0
31	360	First	59	55	0
31	361	Ground	56	52	0
31	361	First	58	54	0
31	362	Ground	54	51	0
31	362	First	57	53	0
31	363	Ground	53	51	0
31	363	First	56	52	0
31	364	Ground	51	50	0
31	364	First	53	52	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
31	365	Ground	51	50	0
31	365	First	53	51	0
31	366	Ground	51	50	0
31	366	First	52	51	0
31	367	Ground	51	49	0
31	367	First	52	50	0
31	368	Ground	51	49	0
31	368	First	52	50	0
31	369	Ground	51	48	0
31	369	First	52	49	0
31	370	Ground	51	48	0
31	370	First	52	49	0
31	371	Ground	50	48	0
31	371	First	52	49	0
31	372	Ground	50	48	0
31	372	First	52	49	0
31	373	Ground	51	48	0
31	373	First	52	49	0
32	374	Ground	51	48	0
32	374	First	52	49	0
32	375	Ground	51	49	0
32	375	First	52	50	0
32	376	Ground	51	49	0
32	376	First	52	50	0
32	377	Ground	51	49	0
32	377	First	52	50	0
32	378	Ground	50	49	0
32	378	First	52	50	0
32	379	Ground	51	49	0
32	379	First	53	50	0
32	380	Ground	52	49	0
32	380	First	53	51	0
32	383	Ground	51	49	0
32	383	First	53	51	0
32	384	Ground	51	50	0
32	384	First	53	51	0
32	385	Ground	52	50	0
32	385	First	54	51	0
32	386	Ground	52	50	0
32	386	First	54	52	0
32	387	Ground	52	51	0
32	387	First	55	52	0
32	388	Ground	53	51	0
32	388	First	56	53	0
32	389	Ground	54	52	0
32	389	First	56	54	0
32	390	Ground	55	52	0
32	390	First	57	54	0
32	391	Ground	56	53	0
32	391	First	58	56	0
32	394	Ground	65	59	1
32	394	First	69	66	2
32	395	Ground	65	59	1
32	395	First	69	66	2
32	396	Ground	60	55	0
32	396	First	61	57	0
32	397	Ground	60	55	0
32	397	First	61	57	0
32	398	Ground	59	55	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
32	398	First	61	57	0
32	399	Ground	57	54	0
32	399	First	59	56	0
32	400	Ground	56	53	0
32	400	First	58	55	0
32	401	Ground	55	52	0
32	401	First	57	54	0
32	402	Ground	54	51	0
32	402	First	56	53	0
32	403	Ground	52	51	0
32	403	First	54	53	0
32	404	Ground	52	51	0
32	404	First	54	52	0
32	405	Ground	52	50	0
32	405	First	54	52	0
32	406	Ground	52	50	0
32	406	First	54	51	0
32	407	Ground	52	50	0
32	407	First	54	51	0
33	408	Ground	48	47	0
33	408	First	50	47	0
33	409	Ground	49	47	0
33	409	First	50	48	0
33	410	Ground	49	47	0
33	410	First	50	48	0
33	411	Ground	50	48	0
33	411	First	51	48	0
33	412	Ground	50	48	0
33	412	First	51	48	0
33	413	Ground	50	48	0
33	413	First	51	48	0
33	414	Ground	50	48	0
33	414	First	51	48	0
33	415	Ground	50	48	0
33	415	First	51	48	0
33	416	Ground	50	48	0
33	416	First	51	48	0
33	417	Ground	49	48	0
33	417	First	51	48	0
33	418	Ground	49	47	0
33	418	First	50	48	0
33	419	Ground	50	48	0
33	419	First	51	48	0
33	420	Ground	50	48	0
33	420	First	51	49	0
33	421	Ground	49	48	0
33	421	First	50	48	0
33	422	Ground	49	47	0
33	422	First	50	48	0
33	423	Ground	49	47	0
33	423	First	50	48	0
33	424	Ground	49	47	0
33	424	First	50	48	0
33	425	Ground	49	47	0
33	425	First	50	48	0
33	426	Ground	49	47	0
33	426	First	50	48	0
33	427	Ground	49	47	0
33	427	First	50	48	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
33	428	Ground	48	47	0
33	428	First	50	47	0
33	429	Ground	48	46	0
33	429	First	49	47	0
33	430	Ground	48	47	0
33	430	First	49	47	0
33	431	Ground	48	47	0
33	431	First	49	47	0
33	432	Ground	48	47	0
33	432	First	49	47	0
33	433	Ground	49	47	0
33	433	First	50	48	0
33	434	Ground	49	47	0
33	434	First	50	48	0
33	435	Ground	49	47	0
33	435	First	50	48	0
33	436	Ground	49	47	0
33	436	First	50	47	0
33	437	Ground	48	47	0
33	437	First	49	47	0
33	438	Ground	48	46	0
33	438	First	49	47	0
33	439	Ground	47	46	0
33	439	First	48	47	0
33	440	Ground	47	46	0
33	440	First	48	47	0
33	441	Ground	48	46	0
33	441	First	49	47	0
33	442	Ground	48	46	0
33	442	First	49	47	0
33	443	Ground	48	46	0
33	443	First	49	47	0
34	694	Ground	67	62	1
34	694	First	68	68	3
34	695	Ground	67	61	1
34	695	First	68	68	3
34	696	Ground	57	56	0
34	696	First	59	58	1
34	697	Ground	56	55	0
34	697	First	58	57	0
34	698	Ground	55	54	0
34	698	First	57	56	0
34	699	Ground	54	53	0
34	699	First	56	55	0
34	700	Ground	53	52	0
34	700	First	55	54	0
34	701	Ground	53	52	0
34	701	First	55	54	0
34	702	Ground	53	52	0
34	702	First	55	54	0
34	703	Ground	53	52	0
34	703	First	55	54	0
34	704	Ground	53	52	0
34	704	First	55	54	0
34	705	Ground	54	54	0
34	705	First	56	55	0
34	706	Ground	55	54	0
34	706	First	57	56	0
34	707	Ground	56	55	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
34	707	First	58	57	0
34	708	Ground	58	56	0
34	708	First	59	58	1
34	709	Ground	59	57	0
34	709	First	61	59	1
34	710	Ground	64	60	1
34	710	First	65	65	2
34	711	Ground	65	62	1
34	711	First	66	66	2
34	712	Ground	60	58	1
34	712	First	62	60	1
34	713	Ground	59	57	0
34	713	First	60	59	1
34	714	Ground	57	56	0
34	714	First	59	58	1
34	715	Ground	56	55	0
34	715	First	58	57	0
34	716	Ground	55	54	0
34	716	First	57	56	0
34	717	Ground	54	54	0
34	717	First	56	55	0
34	718	Ground	54	53	0
34	718	First	55	54	0
35	743	Ground	52	52	0
35	743	First	54	53	0
35	744	Ground	52	51	0
35	744	First	53	53	0
34	745	Ground	51	51	0
34	745	First	53	52	0
34	746	Ground	51	51	0
34	746	First	53	52	0
34	747	Ground	51	51	0
34	747	First	53	52	0
34	748	Ground	51	51	0
34	748	First	53	52	0
34	749	Ground	51	51	0
34	749	First	53	52	0
34	750	Ground	51	51	0
34	750	First	52	52	0
34	751	Ground	51	50	0
34	751	First	52	52	0
34	752	Ground	50	50	0
34	752	First	52	51	0
34	753	Ground	50	50	0
34	753	First	52	51	0
34	754	Ground	50	50	0
34	754	First	52	51	0
34	755	Ground	50	50	0
34	755	First	51	51	0
34	756	Ground	50	50	0
34	756	First	52	51	0
34	757	Ground	50	50	0
34	757	First	52	51	0
34	758	Ground	51	50	0
34	758	First	52	51	0
34	759	Ground	51	50	0
34	759	First	52	52	0
34	760	Ground	51	51	0
34	760	First	53	52	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
34	761	Ground	52	51	0
34	761	First	53	52	0
34	762	Ground	51	50	0
34	762	First	52	51	0
34	763	Ground	50	50	0
34	763	First	52	51	0
34	764	Ground	50	50	0
34	764	First	52	51	0
34	765	Ground	50	50	0
34	765	First	51	51	0
34	766	Ground	50	49	0
34	766	First	51	51	0
34	767	Ground	50	49	0
34	767	First	51	50	0
35	719	Ground	55	53	0
35	719	First	57	55	0
35	720	Ground	55	54	0
35	720	First	57	55	0
35	721	Ground	57	55	0
35	721	First	59	57	0
35	722	Ground	58	56	0
35	722	First	60	58	1
35	723	Ground	60	57	0
35	723	First	62	60	1
35	724	Ground	62	58	1
35	724	First	64	62	1
35	725	Ground	67	62	1
35	725	First	68	67	2
35	3501	Ground	67	58	1
35	3501	First	68	66	2
35	3502	Ground	67	59	1
35	3502	First	68	66	2
35	3503	Ground	67	59	1
35	3503	First	68	66	2
35	3504	Ground	67	58	1
35	3504	First	68	65	2
35	3505	Ground	67	59	1
35	3505	First	68	66	2
35	3506	Ground	67	59	1
35	3506	First	68	67	2
35	730	Ground	67	61	1
35	730	First	68	67	2
35	731	Ground	62	59	1
35	731	First	64	62	1
35	732	Ground	60	58	1
35	732	First	62	60	1
35	733	Ground	58	56	0
35	733	First	60	58	1
35	734	Ground	57	55	0
35	734	First	59	57	0
35	735	Ground	56	54	0
35	735	First	58	56	0
35	736	Ground	55	54	0
35	736	First	57	56	0
35	737	Ground	54	53	0
35	737	First	56	55	0
35	738	Ground	54	53	0
35	738	First	56	55	0
35	739	Ground	53	52	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
35	739	First	55	54	0
35	740	Ground	53	52	0
35	740	First	55	54	0
35	741	Ground	53	52	0
35	741	First	54	53	0
35	742	Ground	52	51	0
35	742	First	54	53	0
36	768	Ground	49	49	0
36	768	First	51	50	0
36	769	Ground	49	49	0
36	769	First	51	50	0
36	770	Ground	49	49	0
36	770	First	51	50	0
36	771	Ground	49	49	0
36	771	First	50	50	0
36	772	Ground	49	49	0
36	772	First	50	50	0
36	773	Ground	49	49	0
36	773	First	50	50	0
36	774	Ground	49	49	0
36	774	First	50	50	0
36	775	Ground	49	49	0
36	775	First	50	50	0
36	776	Ground	49	49	0
36	776	First	51	50	0
36	777	Ground	49	49	0
36	777	First	51	50	0
36	778	Ground	50	50	0
36	778	First	51	51	0
36	779	Ground	50	50	0
36	779	First	51	51	0
36	780	Ground	50	50	0
36	780	First	52	51	0
36	781	Ground	49	49	0
36	781	First	50	50	0
36	782	Ground	49	49	0
36	782	First	50	50	0
36	783	Ground	49	49	0
36	783	First	50	50	0
36	784	Ground	49	49	0
36	784	First	50	50	0
36	785	Ground	49	49	0
36	785	First	50	50	0
36	786	Ground	49	49	0
36	786	First	51	50	0
36	787	Ground	49	49	0
36	787	First	51	50	0
36	788	Ground	49	49	0
36	788	First	51	50	0
36	789	Ground	49	49	0
36	789	First	51	50	0
36	790	Ground	50	50	0
36	790	First	52	51	0
36	791	Ground	50	50	0
36	791	First	51	51	0
36	792	Ground	50	50	0
36	792	First	52	51	0
36	793	Ground	50	50	0
36	793	First	51	51	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
36	794	Ground	50	50	0
36	794	First	51	51	0
36	795	Ground	50	50	0
36	795	First	51	51	0
36	796	Ground	49	49	0
36	796	First	51	50	0
36	797	Ground	50	50	0
36	797	First	51	51	0
36	798	Ground	51	50	0
36	798	First	52	51	0
37	799	Ground	51	50	0
37	799	First	53	51	0
37	800	Ground	51	50	0
37	800	First	53	52	0
37	801	Ground	51	51	0
37	801	First	53	52	0
37	802	Ground	51	51	0
37	802	First	53	52	0
37	803	Ground	51	51	0
37	803	First	53	52	0
37	804	Ground	51	51	0
37	804	First	53	52	0
37	805	Ground	51	51	0
37	805	First	53	52	0
37	806	Ground	52	51	0
37	806	First	53	52	0
37	808	Ground	53	52	0
37	808	First	55	53	0
37	808	Ground	53	52	0
37	808	First	55	53	0
37	809	Ground	53	52	0
37	809	First	55	53	0
37	810	Ground	52	52	0
37	810	First	54	53	0
37	811	Ground	52	52	0
37	811	First	54	53	0
37	812	Ground	52	52	0
37	812	First	54	53	0
37	813	Ground	52	52	0
37	813	First	54	53	0
37	814	Ground	52	52	0
37	814	First	54	53	0
37	815	Ground	53	52	0
37	815	First	54	53	0
37	816	Ground	53	52	0
37	816	First	55	54	0
37	817	Ground	54	53	0
37	817	First	55	54	0
37	818	Ground	54	53	0
37	818	First	56	55	0
37	819	Ground	55	54	0
37	819	First	57	55	0
37	820	Ground	56	54	0
37	820	First	57	56	0
37	821	Ground	57	55	0
37	821	First	58	57	0
37	822	Ground	58	55	0
37	822	First	59	58	1
37	823	Ground	57	54	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
37	823	First	58	56	0
37	824	Ground	56	54	0
37	824	First	58	56	0
37	825	Ground	56	54	0
37	825	First	58	56	0
37	826	Ground	56	54	0
37	826	First	58	56	0
37	827	Ground	56	54	0
37	827	First	58	56	0
37	828	Ground	56	54	0
37	828	First	58	56	0
37	829	Ground	66	61	1
37	829	First	68	68	3
37	830	Ground	67	62	1
37	830	First	68	68	3
37	831	Ground	66	61	1
37	831	First	68	68	3
37	832	Ground	67	62	1
37	832	First	68	68	3
37	833	Ground	67	62	1
37	833	First	69	68	3
37	834	Ground	67	62	1
37	834	First	69	68	3
37	835	Ground	67	63	2
37	835	First	69	68	3
37	836	Ground	67	63	2
37	836	First	69	69	3
38	444	Ground	49	48	0
38	444	First	50	48	0
38	445	Ground	49	47	0
38	445	First	50	48	0
38	446	Ground	49	47	0
38	446	First	50	48	0
38	447	Ground	48	47	0
38	447	First	50	48	0
38	448	Ground	48	47	0
38	448	First	50	48	0
38	449	Ground	48	47	0
38	449	First	49	48	0
38	450	Ground	48	47	0
38	450	First	49	48	0
38	451	Ground	48	47	0
38	451	First	49	48	0
38	452	Ground	48	47	0
38	452	First	49	48	0
38	453	Ground	48	47	0
38	453	First	49	47	0
38	454	Ground	48	47	0
38	454	First	49	47	0
38	455	Ground	48	47	0
38	455	First	49	47	0
38	456	Ground	48	47	0
38	456	First	49	48	0
38	457	Ground	48	47	0
38	457	First	49	47	0
38	458	Ground	48	47	0
38	458	First	49	47	0
38	459	Ground	48	47	0
38	459	First	49	47	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
38	460	Ground	48	46	0
38	460	First	49	47	0
38	463	Ground	47	46	0
38	463	First	49	47	0
38	464	Ground	47	46	0
38	464	First	49	47	0
38	465	Ground	47	46	0
38	465	First	48	47	0
38	466	Ground	47	46	0
38	466	First	48	47	0
38	467	Ground	47	46	0
38	467	First	48	47	0
38	468	Ground	47	46	0
38	468	First	48	47	0
38	469	Ground	47	46	0
38	469	First	48	47	0
38	470	Ground	47	46	0
38	470	First	48	46	0
38	471	Ground	47	46	0
38	471	First	48	46	0
38	472	Ground	47	46	0
38	472	First	48	46	0
38	473	Ground	46	46	0
38	473	First	48	46	0
38	474	Ground	46	46	0
38	474	First	48	46	0
38	475	Ground	46	45	0
38	475	First	47	46	0
38	476	Ground	46	45	0
38	476	First	47	46	0
38	477	Ground	46	45	0
38	477	First	47	46	0
38	478	Ground	46	46	0
38	478	First	48	46	0
38	479	Ground	47	46	0
38	479	First	48	46	0
38	480	Ground	46	46	0
38	480	First	48	46	0
38	481	Ground	46	45	0
38	481	First	47	46	0
38	482	Ground	46	45	0
38	482	First	47	46	0
38	483	Ground	46	45	0
38	483	First	47	46	0
38	484	Ground	46	45	0
38	484	First	47	46	0
38	3801	Ground	47	46	0
38	3801	First	48	46	0
38	3802	Ground	47	46	0
38	3802	First	48	46	0
38	3803	Ground	47	46	0
38	3803	First	48	46	0
39	485	Ground	46	45	0
39	485	First	47	45	0
39	486	Ground	46	45	0
39	486	First	47	46	0
39	487	Ground	46	45	0
39	487	First	47	46	0
39	488	Ground	47	46	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
39	488	First	48	46	0
39	489	Ground	47	46	0
39	489	First	48	46	0
39	490	Ground	47	46	0
39	490	First	48	46	0
39	491	Ground	47	46	0
39	491	First	48	46	0
39	492	Ground	47	46	0
39	492	First	48	46	0
39	493	Ground	47	45	0
39	493	First	47	46	0
39	494	Ground	46	45	0
39	494	First	47	46	0
39	495	Ground	46	45	0
39	495	First	47	45	0
39	496	Ground	46	45	0
39	496	First	47	45	0
39	497	Ground	46	45	0
39	497	First	47	45	0
39	498	Ground	46	45	0
39	498	First	47	45	0
39	499	Ground	46	45	0
39	499	First	47	45	0
39	500	Ground	46	45	0
39	500	First	47	46	0
39	501	Ground	46	45	0
39	501	First	47	46	0
39	502	Ground	46	45	0
39	502	First	47	46	0
39	503	Ground	47	46	0
39	503	First	48	46	0
39	504	Ground	47	46	0
39	504	First	48	46	0
39	505	Ground	47	46	0
39	505	First	48	46	0
39	506	Ground	47	46	0
39	506	First	48	46	0
39	507	Ground	47	46	0
39	507	First	48	47	0
39	508	Ground	48	46	0
39	508	First	49	47	0
39	509	Ground	48	46	0
39	509	First	49	47	0
39	510	Ground	48	47	0
39	510	First	49	47	0
39	511	Ground	48	47	0
39	511	First	49	47	0
39	512	Ground	48	46	0
39	512	First	49	47	0
39	513	Ground	47	46	0
39	513	First	49	47	0
39	514	Ground	47	46	0
39	514	First	48	46	0
39	515	Ground	46	45	0
39	515	First	47	46	0
39	516	Ground	46	45	0
39	516	First	47	46	0
39	517	Ground	46	45	0
39	517	First	47	46	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
39	518	Ground	46	45	0
39	518	First	47	45	0
39	519	Ground	46	45	0
39	519	First	47	45	0
39	520	Ground	45	45	0
39	520	First	46	45	0
39	521	Ground	45	45	0
39	521	First	46	45	0
39	522	Ground	45	45	0
39	522	First	46	45	0
39	523	Ground	45	44	0
39	523	First	46	45	0
39	524	Ground	45	44	0
39	524	First	46	45	0
39	525	Ground	45	44	0
39	525	First	46	45	0
39	526	Ground	45	44	0
39	526	First	46	45	0
39	527	Ground	45	44	0
39	527	First	46	45	0
40	528	Ground	49	47	0
40	528	First	50	48	0
40	529	Ground	49	47	0
40	529	First	50	48	0
40	530	Ground	49	47	0
40	530	First	50	48	0
40	531	Ground	49	46	0
40	531	First	50	48	0
40	532	Ground	49	47	0
40	532	First	50	48	0
40	533	Ground	50	48	0
40	533	First	51	49	0
40	534	Ground	50	48	0
40	534	First	52	49	0
40	535	Ground	51	49	0
40	535	First	52	50	0
40	536	Ground	50	49	0
40	536	First	52	50	0
40	537	Ground	51	49	0
40	537	First	53	51	0
40	538	Ground	51	50	0
40	538	First	54	52	0
40	539	Ground	52	50	0
40	539	First	54	52	0
40	540	Ground	52	51	0
40	540	First	55	53	0
40	541	Ground	53	51	0
40	541	First	55	53	0
40	542	Ground	54	52	0
40	542	First	56	54	0
40	543	Ground	55	53	0
40	543	First	57	55	0
40	544	Ground	56	53	0
40	544	First	58	56	0
40	545	Ground	59	56	0
40	545	First	61	58	1
40	546	Ground	58	55	0
40	546	First	61	58	1
40	547	Ground	58	55	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
40	547	First	61	58	1
40	548	Ground	59	55	0
40	548	First	61	58	1
40	549	Ground	58	56	0
40	549	First	61	58	1
40	550	Ground	58	56	0
40	550	First	61	58	1
40	551	Ground	58	56	0
40	551	First	61	58	1
40	552	Ground	58	57	0
40	552	First	61	59	1
40	553	Ground	63	60	1
40	553	First	65	63	2
40	554	Ground	67	63	2
40	554	First	68	67	2
41	568	Ground	48	46	0
41	568	First	49	47	0
41	569	Ground	48	46	0
41	569	First	49	47	0
41	570	Ground	47	46	0
41	570	First	48	46	0
41	571	Ground	47	46	0
41	571	First	48	46	0
41	572	Ground	47	46	0
41	572	First	48	46	0
41	573	Ground	47	45	0
41	573	First	48	46	0
41	574	Ground	47	45	0
41	574	First	48	46	0
41	575	Ground	47	45	0
41	575	First	48	46	0
41	576	Ground	47	45	0
41	576	First	48	46	0
41	577	Ground	47	46	0
41	577	First	48	46	0
41	578	Ground	47	46	0
41	578	First	48	46	0
41	579	Ground	47	46	0
41	579	First	48	46	0
41	580	Ground	47	46	0
41	580	First	48	46	0
41	581	Ground	47	45	0
41	581	First	48	46	0
41	582	Ground	46	45	0
41	582	First	47	46	0
41	583	Ground	46	45	0
41	583	First	47	46	0
41	584	Ground	46	45	0
41	584	First	47	45	0
41	585	Ground	46	45	0
41	585	First	47	45	0
41	586	Ground	46	45	0
41	586	First	47	45	0
41	587	Ground	46	45	0
41	587	First	47	45	0
41	588	Ground	45	44	0
41	588	First	46	45	0
41	589	Ground	45	44	0
41	589	First	46	45	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
41	590	Ground	47	46	0
41	590	First	48	46	0
41	591	Ground	47	45	0
41	591	First	48	46	0
41	592	Ground	47	45	0
41	592	First	48	46	0
41	593	Ground	47	45	0
41	593	First	48	46	0
41	594	Ground	46	45	0
41	594	First	48	46	0
41	595	Ground	46	45	0
41	595	First	47	46	0
41	596	Ground	46	45	0
41	596	First	47	46	0
41	597	Ground	46	45	0
41	597	First	47	45	0
41	598	Ground	46	45	0
41	598	First	47	45	0
41	599	Ground	46	45	0
41	599	First	47	45	0
41	600	Ground	46	44	0
41	600	First	47	45	0
41	601	Ground	45	44	0
41	601	First	46	45	0
41	602	Ground	45	44	0
41	602	First	46	45	0
41	603	Ground	45	44	0
41	603	First	46	45	0
42A	9999	Ground	63	62	1
42A	9999	First	65	65	2
42B	604	Ground	54	53	0
42B	604	First	55	54	0
42B	605	Ground	54	53	0
42B	605	First	55	54	0
42B	606	Ground	54	53	0
42B	606	First	56	54	0
42B	607	Ground	54	53	0
42B	607	First	56	54	0
42B	608	Ground	55	54	0
42B	608	First	57	56	0
42B	609	Ground	55	54	0
42B	609	First	57	56	0
42B	610	Ground	55	54	0
42B	610	First	57	56	0
42B	611	Ground	57	56	0
42B	611	First	59	57	0
42B	612	Ground	58	56	0
42B	612	First	60	58	1
42B	613	Ground	59	58	1
42B	613	First	61	60	1
42B	614	Ground	61	59	1
42B	614	First	63	61	1
42B	615	Ground	65	62	1
42B	615	First	67	67	2
42B	616	Ground	65	60	1
42B	616	First	67	67	2
42B	617	Ground	64	59	1
42B	617	First	67	66	2
42B	618	Ground	64	59	1



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
42B	618	First	67	66	2
42B	619	Ground	65	59	1
42B	619	First	67	66	2
42B	620	Ground	65	59	1
42B	620	First	67	66	2
42B	621	Ground	65	59	1
42B	621	First	68	67	2
42B	622	Ground	65	59	1
42B	622	First	68	66	2
42B	623	Ground	58	56	0
42B	623	First	60	57	0
42B	624	Ground	58	56	0
42B	624	First	60	57	0
42B	625	Ground	58	56	0
42B	625	First	60	57	0
42B	626	Ground	58	56	0
42B	626	First	60	57	0
42B	627	Ground	58	56	0
42B	627	First	60	58	1
42B	628	Ground	57	55	0
42B	628	First	59	57	0
42B	629	Ground	56	55	0
42B	629	First	58	56	0
42B	630	Ground	55	54	0
42B	630	First	57	55	0
42B	631	Ground	55	54	0
42B	631	First	57	55	0
42B	632	Ground	55	54	0
42B	632	First	57	55	0
42B	633	Ground	55	54	0
42B	633	First	57	55	0
42B	634	Ground	55	54	0
42B	634	First	57	55	0
42B	635	Ground	55	54	0
42B	635	First	57	55	0
42B	636	Ground	53	52	0
42B	636	First	55	54	0
42B	637	Ground	54	53	0
42B	637	First	55	54	0
42B	751	Ground	57	56	0
42B	751	First	59	58	1
42B	752	Ground	56	55	0
42B	752	First	58	57	0
43	638	Ground	54	53	0
43	638	First	55	54	0
43	639	Ground	53	52	0
43	639	First	55	53	0
43	640	Ground	52	52	0
43	640	First	54	53	0
43	641	Ground	52	51	0
43	641	First	54	52	0
43	642	Ground	51	51	0
43	642	First	53	52	0
43	643	Ground	51	50	0
43	643	First	53	51	0
43	644	Ground	50	50	0
43	644	First	52	51	0
43	645	Ground	50	49	0
43	645	First	52	51	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
43	646	Ground	50	49	0
43	646	First	51	50	0
43	647	Ground	49	49	0
43	647	First	51	50	0
43	648	Ground	49	48	0
43	648	First	51	49	0
43	649	Ground	48	48	0
43	649	First	50	49	0
43	650	Ground	48	48	0
43	650	First	50	49	0
43	651	Ground	48	47	0
43	651	First	50	49	0
43	652	Ground	48	47	0
43	652	First	50	48	0
43	653	Ground	47	47	0
43	653	First	49	48	0
43	654	Ground	48	47	0
43	654	First	49	48	0
43	655	Ground	48	47	0
43	655	First	49	48	0
43	656	Ground	48	47	0
43	656	First	49	48	0
43	657	Ground	48	47	0
43	657	First	49	48	0
43	658	Ground	48	47	0
43	658	First	49	48	0
43	659	Ground	48	47	0
43	659	First	49	48	0
43	660	Ground	48	47	0
43	660	First	49	48	0
43	661	Ground	52	51	0
43	661	First	53	52	0
43	662	Ground	52	51	0
43	662	First	53	52	0
43	663	Ground	52	51	0
43	663	First	53	52	0
43	664	Ground	50	50	0
43	664	First	52	51	0
43	665	Ground	50	50	0
43	665	First	52	51	0
43	667	Ground	49	49	0
43	667	First	51	50	0
43	668	Ground	49	48	0
43	668	First	51	50	0
43	669	Ground	48	48	0
43	669	First	50	49	0
44	670	Ground	48	48	0
44	670	First	50	49	0
44	671	Ground	48	48	0
44	671	First	50	49	0
44	672	Ground	48	48	0
44	672	First	50	49	0
44	673	Ground	48	48	0
44	673	First	50	49	0
44	674	Ground	48	48	0
44	674	First	50	49	0
44	675	Ground	48	48	0
44	675	First	50	49	0
44	676	Ground	48	48	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
44	676	First	50	49	0
44	677	Ground	48	48	0
44	677	First	50	49	0
44	678	Ground	49	48	0
44	678	First	50	49	0
44	679	Ground	49	49	0
44	679	First	51	50	0
44	680	Ground	49	49	0
44	680	First	51	50	0
44	681	Ground	50	49	0
44	681	First	51	50	0
44	682	Ground	50	50	0
44	682	First	52	51	0
44	683	Ground	48	48	0
44	683	First	50	49	0
44	684	Ground	48	48	0
44	684	First	50	49	0
44	685	Ground	49	48	0
44	685	First	50	49	0
44	686	Ground	49	49	0
44	686	First	51	50	0
44	687	Ground	49	49	0
44	687	First	51	50	0
44	688	Ground	50	49	0
44	688	First	52	50	0
44	689	Ground	50	50	0
44	689	First	52	51	0
44	690	Ground	50	49	0
44	690	First	51	50	0
44	691	Ground	49	49	0
44	691	First	51	50	0
44	692	Ground	49	48	0
44	692	First	50	49	0
44	693	Ground	49	48	0
44	693	First	50	49	0
44	694	Ground	48	48	0
44	694	First	50	49	0
44	695	Ground	48	47	0
44	695	First	49	48	0
44	696	Ground	48	47	0
44	696	First	49	48	0
44	697	Ground	48	47	0
44	697	First	49	48	0
44	698	Ground	48	47	0
44	698	First	49	48	0
44	699	Ground	48	47	0
44	699	First	49	48	0
44	700	Ground	48	47	0
44	700	First	49	48	0
44	701	Ground	48	47	0
44	701	First	49	48	0
44	702	Ground	48	47	0
44	702	First	49	48	0
44	703	Ground	48	47	0
44	703	First	49	48	0
44	704	Ground	48	47	0
44	704	First	49	48	0
44	705	Ground	51	51	0
44	705	First	53	52	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
44	706	Ground	51	51	0
44	706	First	53	52	0
44	707	Ground	51	51	0
44	707	First	53	52	0
44	708	Ground	51	51	0
44	708	First	53	52	0
44	709	Ground	51	51	0
44	709	First	53	52	0
44	710	Ground	51	51	0
44	710	First	53	52	0
45	711	Ground	51	50	0
45	711	First	53	51	0
45	712	Ground	52	51	0
45	712	First	53	52	0
45	713	Ground	52	51	0
45	713	First	53	52	0
45	714	Ground	52	51	0
45	714	First	54	52	0
45	715	Ground	53	52	0
45	715	First	54	53	0
45	716	Ground	53	52	0
45	716	First	54	53	0
45	717	Ground	54	52	0
45	717	First	55	54	0
45	718	Ground	54	53	0
45	718	First	55	54	0
45	719	Ground	53	52	0
45	719	First	55	53	0
45	720	Ground	53	52	0
45	720	First	55	53	0
45	721	Ground	53	52	0
45	721	First	55	53	0
45	722	Ground	53	52	0
45	722	First	55	53	0
45	723	Ground	53	52	0
45	723	First	55	53	0
45	724	Ground	53	52	0
45	724	First	55	53	0
45	725	Ground	53	52	0
45	725	First	55	53	0
45	726	Ground	55	54	0
45	726	First	57	55	0
45	727	Ground	55	54	0
45	727	First	57	55	0
45	728	Ground	55	54	0
45	728	First	57	55	0
45	729	Ground	55	53	0
45	729	First	57	55	0
45	730	Ground	55	53	0
45	730	First	57	55	0
45	731	Ground	55	54	0
45	731	First	57	55	0
45	732	Ground	55	54	0
45	732	First	57	55	0
45	733	Ground	56	54	0
45	733	First	57	56	0
45	734	Ground	57	55	0
45	734	First	58	57	0
45	735	Ground	58	56	0



Stage	Lot	Floor	No Barriers	With Noise Barrier	MP4.4 Category
			LA10, 18hr	LA10, 18h	
45	735	First	60	58	1
45	736	Ground	59	56	0
45	736	First	60	58	1
45	737	Ground	59	56	0
45	737	First	60	58	1
45	738	Ground	59	55	0
45	738	First	60	57	0
45	739	Ground	59	55	0
45	739	First	60	57	0
45	740	Ground	58	55	0
45	740	First	60	57	0
45	741	Ground	59	56	0
45	741	First	60	57	0
45	742	Ground	66	59	1
45	742	First	68	67	2
45	743	Ground	66	59	1
45	743	First	69	68	3
45	744	Ground	67	59	1
45	744	First	69	68	3
45	745	Ground	67	60	1
45	745	First	70	69	3
45	746	Ground	67	60	1
45	746	First	69	68	3
45	747	Ground	67	61	1
45	747	First	69	69	3
45	748	Ground	67	61	1
45	748	First	69	69	3
45	749	Ground	67	62	1
45	749	First	69	69	3
45	750	Ground	68	63	2
45	750	First	69	69	3